

NTP SYSTEM SIMULATION AND
DETAILED NUCLEAR ENGINE MODELING

Samim Anghaie

Innovative Nuclear Space Power and Propulsion Institute

University of Florida

Presented at
Nuclear Propulsion Technical Interchange Meeting
(NP-TIM-92)
October 20-23, 1992

NASA Lewis Research Center
Plum Brook Station

INSPI
University of Florida

NTP SYSTEM SIMULATION &
DETAILED NUCLEAR ENGINE MODELING

Samim Anghaie

Innovative Nuclear Space Power & Propulsion Institute
University of Florida
Gainesville, FL

With Technical Contribution from:

Gary Chen, University of Florida
Jeff Given, University of Florida
James White, University of Florida

Steven Peery, Pratt & Whitney
Harold Garrish, NASA-MSFC
James Walton, NASA-LeRC

10/20/92


MODELING AND ENGINEERING SIMULATION OF NUCLEAR THERMAL ROCKET SYSTEMS

- Modular Thermal Fluid Solver with Neutronic Feedback
- Main Component Modules:
 - Pipes, Valves, Mixer
 - Nozzle Skirt
 - Pump, Turbine
 - Reflector, Reactor Core
- Hydrogen (Para- and Dissociated) Property Package
 - $10 \leq T \leq 10,000 \text{ K}$
 - $.1 \leq P \leq 160 \text{ bar}$
- Models Developed for NTVR, NERVA and XNR 2000
- CFD and Heat Transfer Models for Main NTR Components

16-20-92

A detailed program for modeling of full system nuclear rocket engines is developed. At present time, the model features the expander cycle. Axial power distribution in the reactor core is calculated using 2- and 3-D neutronics computer codes. A complete hydrogen property model is developed and implemented. Three nuclear rocket systems are analyzed. These systems are: a 75,000 lbf NERVA class engine, a 25,000 lbf cermet fueled engine and INSPI's nuclear thermal vapor rocket.


NUCLEAR THERMAL ROCKET SIMULATION SYSTEM



16-20-92


The main program links all the component modules and iterates to arrive at the user specified thrust chamber pressure and temperature and thrust level. Reactor power and propellant flow rate are among outputs of the simulation program. Fuel elements in the core module are prismatic with variable flow area ratio. Each module divides the relative component into N segments.

INSPI-NTVR Core Axial Flow Profile $T_c = 2750\text{K}$ $P_c = 750\text{psi}$ $F = 75000\text{lbf}$




Axial temperature distribution of NVTR fuel surface and propellant in an average power rod. Reactor power is adjusted to achieve the thrust chamber temperature and pressure of 2750 K and 750 psi, respectively.

INSPI-NTVR Core Axial Flow Profile $T_c = 2750\text{K}$ $P_c = 750\text{psi}$ $F = 75000\text{lbf}$




Normalized axial power distribution in C/C composite fuel matrix NVTR, calculated by DOT-2 S_{11} code. The axial power shape factor is an input for the simulation code.

Specific Impulse vs Chamber Pressure INSPI-NTVR @ 75000lbf Thrust




Parametric study of thrust chamber pressure and temperature impact on Isp of NTVR. At higher pressures Isp is less sensitive to thrust chamber temperature.

Turbine Pressure Ratio vs Chamber Pressure INSPI-NTVR @ 75000lbf Thrust




Turbine pressure ratio is sensitive to both thrust chamber pressure and temperature. For thrust chamber pressure of 1200 psi and temperature of 3000 K, the turbine pressure ratio of 1.26 is well within the range of available technology.

NERVA Core Axial Flow Profile $T_c = 2750K$ $P_c = 750psi$ $F=75000lbf$




Axial temperature profiles for NERVA-75,000 lbf engine are presented. The maximum fuel temperature is 3490 K at .7 m from the core entrance.

P&W XNR2000 Core Axial Flow Profile $T_c = 2750K$ $P_c = 750psi$ $F=25000lbf$




Axial temperature distribution in XNR 2000 core is presented. XNR 2000 features a two path folded flow core fueled with CERMET. The maximum fuel temperature is 3000 K at about 85% from the entrance to the inner core region.


INSPI-NTVR Core Axial Flow Profile **$T_c = 2750K$ $P_c = 750psi$ $F=75000lbf$**




INSPI-NTVR Core Axial Flow Profile **$T_c = 2750K$ $P_c = 750psi$ $F=75000lbf$**




INSPI-NTVR Core Axial Flow Profile
Tc = 2750K Pc = 750psi F=75000lbf




INSPI-NTVR Core Axial Flow Profile
Tc = 2750K Pc = 750psi F=75000lbf




Pump Pressure Rise vs Chamber Pressure INSPI-NTVR @ 75000lbf Thrust




Specific Impulse vs Chamber Pressure INSPI-NTVR @ 75000lbf Thrust




Core Exit Mach # vs Chamber Pressure INPSI-NTVR @ 75000lbf Thrust




Turbine Pressure Ratio vs Chamber Pressure INPSI-NTVR @ 75000lbf Thrust




Turbine Blade Speed vs Chamber Pressure INSPI-NTVR @ 75000lbf Thrust




Turbine Blade Diameter vs Chamber Pressure INSPI-NTVR @ 75000lbf Thrust




P&W XNR2000 Core Axial Flow Profile
Tc = 2750K Pc = 750psi F=25000lbf




P&W XNR2000 Core Axial Flow Profile
Tc = 2750K Pc = 750psi F=25000lbf




P&W XNR2000 Core Axial Flow Profile
Tc = 2750K Pc = 750psi F=25000lbf




P&W XNR2000 Core Axial Flow Profile
Tc = 2750K Pc = 750psi F=25000lbf




NERVA Core Axial Flow Profile
 $T_c = 2750K$ $P_c = 750psi$ $F=75000lbf$



NERVA Core Axial Flow Profile
 $T_c = 2750K$ $P_c = 750psi$ $F=75000lbf$



Pump Pressure Rise vs Chamber Pressure NERVA @ 75000lbf Thrust




INSPI
University of Florida

EVALUATION OF PARA- AND DISSOCIATED HYDROGEN PROPERTIES AT $T = 10 - 10,000$ K

- NASA/NIST Property Package
($13.8 < T < 10,000$ K and $.1 < P < 160$ bar)
Molecular Weight, Density
Enthalpy, Entropy
Specific Heats, Specific Heat Ratio
Thermal Conductivity, Viscosity
- Hydrogen Property Generator Code Features
Linear Interpolation
Natural Cubic Spline
Least Square Curve Fitting with Pentad Spline Joint Functions
- Graphical Representation of Properties


The hydrogen property generator utilizes two interpolation techniques and a least-square curve fitting routine with a pentad spline function which links least-square fitted pieces together. The property generator package is incorporated into the NTR simulation code and also into a system of CFD-HT codes.

Cp Versus Temperature for Para- and Dissociated Hydrogen




At higher temperatures, the heat capacity data displays smooth behavior. The sharp increase in C_p value at temperatures above 2000 K is due to hydrogen dissociation.

Cp Versus Temperature for Para- and Dissociated Hydrogen




Heat capacity of hydrogen near the critical point shows large gradient and oscillatory behavior. At $p = 2.35$ MPa the property package indicates a sharp peak for C_p .

Thermal Conductivity Versus Temperature for Para- and Dissociated Hydrogen




The hydrogen property package is a combination of two subpackages covering the temperature ranges 10 - 3000 K and 3000 - 10,000 K, respectively. The large change of gradients in hydrogen viscosity at 3000 K indicates a non-physical flaw in the model.


Cp Versus Temperature for Para- and Dissociated Hydrogen




Cp Versus Temperature for Para- and Dissociated Hydrogen



Thermal Conductivity Versus Temperature for Para- and Dissociated Hydrogen



Thermal Conductivity Versus Temperature for Para- and Dissociated Hydrogen




INSPI
University of Florida

NUCLEAR DESIGN ANALYSIS PACKAGE





- Multigroup Cross-sections Generated by COMBINE (ENDFB-V)
- MCNP (4.2) for Complex Geometries
- BOLD VENTURE (3-D, Diffusion) for Power Profile and Reactivity Calculations
- ANISN (1-D, S_n) for Analysis of Heterogeneous Boundaries
- DOT IV (1, 2-D, S_n) for Analysis of Reflector
- XSDRNPM (1-D, S_n) TWODANT (2-D, S_n), NJOY, AMPX for Cross-comparison



10 20 92



XNR2000 Rodwise Radial Power Distribution (normalized)





Keff--> 0.9999145 REFLECTOR RAISED 1.016cm










Pressure Drop Correlation Comparison



Nusselt Number (Nu) and Pressure Drop (ΔP) Correlation Comparison with CFD Analysis

(I) CFD Analysis

Energy Equation

$$\frac{\partial}{\partial X} \left((\epsilon + \sigma_x)u + \tau_{yx}v - K_c \frac{\partial T}{\partial Y} \right) + \frac{\partial}{\partial Y} \left((\epsilon + \sigma_y)v + \tau_{xy}u - K_c \frac{\partial T}{\partial X} \right) = S_c$$

Numerical Algorithm: MacCormack hybrid implicit-explicit, finite volume method

Conductive Heat Flux

$$q_c'' = -K_c \left[\frac{\partial T}{\partial r} \right]_{r=R}$$

Convective Heat Flux

$$q_c'' = h_c (T_w - T_b)$$

$$T_b = \frac{\int_A \rho C_p u T dA}{\int_A \rho C_p u dA}$$

Convective Heat Transfer Coefficient

$$h_c = -\frac{K_c \left[\frac{\partial T}{\partial r} \right]_{r=R}}{T_w - T_b}$$

Nusselt Number

$$Nu = \frac{h_c D}{K_c}$$

RADIATIVE HEAT TRANSFER MODELS

□ DIFFUSION APPROXIMATION

$$q_r'' = -\frac{4}{3a_R} \nabla e_b = -\frac{16\sigma_{SB}T^3}{3a_R} \nabla T = -K_r \nabla T$$

$$K_r = \frac{16\sigma_{SB}T^3}{3a_R}$$

Using the perfect gas law,

$$K_r = \frac{16\sigma_{SB}\kappa}{3a_{ph}P} T^4$$


WHERE

a_R : Rosseland Mean Opacity
 σ_{SB} : Stefan-Boltzmann Constant
 σ_{ph} : Photon Collision Cross Section per Molecule
 κ : Boltzmann's Constant
 P : Gas Pressure
 T : Gas Temperature

□ APPROXIMATION BY USING 1-D EQUATION OF RADIATIVE TRANSFER

$$i(r) = \int_0^r a I(r') \exp(-a(r-r')) dz'$$

$$q_r'' = q' - q^- = \pi (i^+(r) - i(r))$$



WHERE

$i^+(r)$: Radiation Intensity in the Positive Direction(From Gas to Boundary)
 $i(r)$: Radiation Intensity in the Negative Direction(From Boundary to Gas)
 $I(r)$: Source Function ($=\sigma T^4/\pi$)

Nusselt number & Prandtl number

$$Re = \frac{\rho u D}{\mu(T_b, T_f)}$$

$$Pr = \frac{\mu(T_b) C_p(T_b)}{K_f(T_b)}$$

(III) Pressure Drop

Compressible Flow

$$\Delta P = \frac{RG^2 T_m}{P_m} \left(\ln \frac{\rho_1}{\rho_2} + \frac{2f \Delta Z}{D} \right)$$

$$R = \frac{C_p(\gamma - 1)}{\gamma}$$

$$G = \rho_1 \left(\frac{V_1 + V_2}{2} \right)$$

$$T_m = \frac{T_1 + T_2}{2}$$

$$P_m = \frac{P_1 + P_2}{2}$$

Incompressible Flow

$$\Delta P = 2f \frac{\Delta Z}{D} \rho_1 V_1^2 \left(\frac{T_1 + T_2}{2T_1} \right) + \rho_1 V_1^2 \left(\frac{T_2}{T_1} - 1 \right)$$

$$f = 0.0014 + \frac{1}{Re^{0.32}}$$

(II) Nusselt Number Correlations

(1) Colburn Equation

$$Nu = 0.023 Re^{0.8} Pr^{\frac{1}{4}}$$

(2) Dittus-Boelter Equation

$$Nu = 0.023 Re^{0.8} Pr^{0.3}$$

(3) Sieder-Tate Equation

$$Nu = 0.027 Re^{0.8} Pr^{\frac{1}{4}} \left(\frac{\mu_b}{\mu_w} \right)^{0.14}$$

(4) Petukov Equation

$$Nu = \frac{Re Pr \left(\frac{f}{2} \right)}{X}$$

$$X = 1.07 + 12.7 \left(Pr^{\frac{1}{4}} - 1 \right) \left(\frac{f}{2} \right)^{\frac{1}{4}}$$

$$f = 0.0014 + \frac{1}{8} Re^{-0.32}$$

(5) Karman-Boelter-Martinelli Equation

$$Nu = \frac{Re Pr \sqrt{\frac{f}{2}}}{0.833 \left(5Pr + 5 \ln(5Pr + 1) + 2.5 \ln \left(Re \sqrt{\frac{f}{2}} \right) \right)}$$

$$f = 0.0014 + \frac{1}{8} Re^{-0.32}$$

Axial Distance Correction

$$Nu(x) = Nu \left(1.957 \left(1 + \frac{x}{D} \right)^{-0.15} \right) \sqrt{\frac{T_b}{T_w}}$$

$$Nu(x) = Nu \left(1 + \frac{2 \ln \frac{Pr}{Pr_s}}{\frac{D}{b}} \right)$$




Figure 6.2 Velocity distribution for a fully developed turbulent flow in tube. ($Re = 1.6 \times 10^4$)




Figure 6.17 Nusselt number vs. axial position for a developing isothermal pipe flow at a Reynolds number of 53000. $(Nu)_{inf}$ is the Nusselt number evaluated at $Z/D=20$.

13




Figure 6.15 Heat transfer rates obtained by Navier-Stokes solver for various boundary cell size. A 60×60 grid is used. ($T_{in}=4000$ K, $T_w=1800$ K, $P_{in}=1$ atm, and $P_{out}=0.5$ atm)

14




Figure 6.16 Heat transfer rates obtained by Navier-Stokes solver for various boundary cell size. A 60x80 grid is used. ($T_{in}=4000$ K, $T_w=1800$ K, $P_{in}=10$ atm, and $P_{out}=9.5$ atm)

78




Figure 6.19 Comparative result between diffusion approximation and 1-D integral approximation for varying the gas opacity due to different flow conditions.

79